

EKL 22207

35/65W TDP Premium Cooler for
INTEL[®] Socket LGA 17XX / 1851

Optimum cooling performance for Intel[®] processors

Product description

With an extremely low height of just 30mm, the EKL 22207 is ideal for compact PC systems in the small form factor range. Especially in this size range, it is often difficult to procure a powerful and quiet CPU cooler. The EKL 22207 overcomes both challenges with flying colours. The combination of an aluminium profile, high-performance thermal compound and a low-vibration PWM-controlled fan guarantees quiet and extremely effective heat dissipation.

35W according to Intel specifications. 65W at intake temperature up to 40°C.

Main features

- ✓ Powerful top-flow design
- ✓ High-performance thermal paste
- ✓ Quiet and low-vibration 80 mm PWM fan
- ✓ Simple and tool-free push-pin assembly for Intel[®] socket LGA 17XX

Advice & ordering:

 +49 (0)7561 9837-0


 info@ekl-ag.de



* Thermal and mechanical compatibility may vary depending on the system used
** According to manufacturer specifications

www.ekl-ag.de

EKL 22207 Technical data



Cooler properties

| | |
|-----------------------|----------------------------------|
| Retail article number | 22210021007 |
| EAN Retail | 4250280331837 |
| Power loss | 35/65 ¹ W TDP |
| Material | Aluminium |
| Weight | 152 g |
| Packaging unit | 32 |
| suitable for | INTEL® Socket LGA 17XX / 1851 |

Fan properties

| | |
|-------------------|------------------------|
| Width | 90 mm |
| Length | 90 mm |
| Height | 30 mm |
| Speed min. | 500 U/min |
| Speed max. | 2700 U/min |
| Warehouse | Ball/slide bearing |
| Operating voltage | 12 VDC |
| Volume flow | 52.5 m ³ /h |
| Noise level min. | 21 dB(A) |
| Noise level max. | 35 dB(A) |
| Service life L10 | 40000 h bei 40 °C |




* Thermal and mechanical compatibility may vary depending on the system used
** According to manufacturer specifications

www.ekl-ag.de

EKL[®]
electronics cooling

EKL 22207 Dimensions



* Thermal and mechanical compatibility may vary depending on the system used
** According to manufacturer specifications

www.ekl-ag.de

EKL[®]
electronics cooling